

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/743,686	12/20/2003	John F. Allen	H0001409	7808
75	7590 08/19/2004		EXAMINER	
Ephraim Starr, Division General Counsel			TRIEU, THAI BA	
Honeywell International Inc. Suite #200			ART UNIT	PAPER NUMBER
23326 Hawthorne Boulevard Torrance, CA 90505			3748	
			DATE MAILED: 08/19/2004	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/743,686	ALLEN ET AL.	Ψυ			
Office Action Summary	Examiner	Art Unit				
-	Thai-Ba Trieu	3748				
The MAILING DATE of this communica		th the correspondence a	address			
Period for Reply						
A SHORTENED STATUTORY PERIOD FOR THE MAILING DATE OF THIS COMMUNICATION	ATION. 37 CFR 1.136(a). In no event, however, may a recication. 1949s, a reply within the statutory minimum of thirty 1950 period will apply and will expire SIX (6) MON 1950 by statute cause the application to become AB.	eply be timely filed y (30) days will be considered tim THS from the mailing date of this ANDONED (35 U.S.C. § 133).	nely. communication.			
Status						
1) Responsive to communication(s) filed	on					
)⊠ This action is non-final.					
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4) Claim(s) 1-4 is/are pending in the application Papers 9) The specification is objected to by the Bapplicant may not request that any objected to by The oath or declaration is objected to be specified to be specified by the Bapplicant may not request that any objected to be specified to be specified by the Bapplicant may not request that any objection Replacement drawing sheet(s) including the specified by the Bapplicant may not request that any objection Replacement drawing sheet(s) including the specified by the Bapplicant may not request that any objection Replacement drawing sheet(s) including the specified by the Bapplicant may not request that any objection Replacement drawing sheet(s) including the specified by the Bapplicant may not request that any objection Replacement drawing sheet(s) including the specified by the Bapplicant may not request that any objection the specified by the Bapplicant may not request that any objection Replacement drawing sheet(s) including the specified by the Bapplicant may not request that any objection Replacement drawing sheet(s) including the specified by the Bapplicant may not request that any objection Replacement drawing sheet(s) including the specified by the Bapplicant may not request that any objection Replacement drawing sheet(s) including the specified by the Bapplicant may not request that any objection Replacement drawing sheet(s) including the specified by the Bapplicant may not request that any objection the specified by the Bapplicant may not request that any objection the specified by the Bapplicant may not request that any objection the specified by the Bapplicant may not request that any objection the specified by the Bapplicant may not request the specified by the Bapp	withdrawn from consideration. on and/or election requirement. Examiner. a) \(\sum_ \) accepted or b) \(\sum_ \) objected to both to the drawing(s) be held in abeyone correction is required if the drawing.	nce. See 37 CFR 1.85(a). (s) is objected to. See 37	CFR 1.121(d).			
Priority under 35 U.S.C. § 119						
	ocuments have been received. ocuments have been received in A the priority documents have been al Bureau (PCT Rule 17.2(a)).	opplication No received in this Nation	nal Stage			
Attachment(s) 1) Notice of References Cited (PTO-892)		Summary (PTO-413)				
2) Notice of Draftsperson's Patent Drawing Review (PTC 3) Information Disclosure Statement(s) (PTO-1449 or Prepare No(s)/Mail Date	~ · · · · · · · · · · · · · · · · · · ·	s)/Mail Date nformal Patent Application (f 	PTO-152)			

DETAILED ACTION

Oath/Declaration

The oath or declaration is defective. A new oath or declaration in compliance with 37 CFR 1.67(a) identifying this application by application number and filing date is required. See MPEP §§ 602.01 and 602.02.

The oath or declaration is defective because:

It does not identify the city and either state or foreign country of residence of each inventor. The residence information may be provided on either on an application data sheet or supplemental oath or declaration. Specifically, the residence information, signature, and the signing date of the 3rd inventor, *Mr. Rhett Hedrick*, and the residence information of the 5th inventor, Mr. *Kevin Birch*, has not been provided.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter, which the applicant regards as his invention.

Claims 1-4 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Specifically, the recitation of "preventing/controlling" renders the claims indefinite, since the intended scope is not clear that the system and the method is used for

Art Unit: 3748

preventing, or for controlling, or for both of preventing and controlling. See MPEP § 2173.05(d).

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless --

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1 and 3 are rejected under 35 U.S.C. 102(e) as being anticipated by Masuda (Pub. Number US 2004/0093867 A1).

Regarding claim 1, Masuda discloses a system for preventing/controlling compressor surge in an electrically assisted turbocharger (11) that is coupled to an internal combustion engine (1) comprising:

an electric motor (11b) disposed around a turbocharger shaft (Not Numbered) having attached thereto a compressor (Not Numbered) at one shaft end and a turbine (11a) at an opposite shaft end (See Figure 1);

an electric motor controller (22, 16) electrically coupled to the electric motor (11b);

a memory means electrically coupled to the electric motor controller (22), the memory means having a multi-dimensional map of compressor surge conditions stored therein; and

Art Unit: 3748

at least two sensors (11b, 15, 17, 19, 26, 28) electrically coupled to the electric motor controller (22, 16), the sensors being configured to monitor operating conditions of at least one of the turbocharger and an internal combustion engine coupled thereto; the electric motor controller further configured to control operation of the electric motor responsive to signals provided from the sensors as correlated to the multi-dimensional map pf surge conditions stored in the memory (See Paragraph [0037]).

Regarding claim 3, Masuda discloses a system for preventing/controlling compressor surge in an electrically assisted turbocharger (11) that is coupled to an internal combustion engine comprising:

an electric motor (11b) disposed around a turbocharger shaft to provide rotational movement thereto;

an electric motor controller (22, 16) coupled to the electric motor (11b) for controlling rotational movement provided by the electric motor;

an intake air sensor (27) coupled to the electric motor controller for sensing a volume of air entering the turbocharger (11); a pressure ratio sensor (19) coupled to the electric motor controller (22, 16) for sensing a compressor pressure ratio; and

a memory electrically connected to the electric motor controller (22, 16), the memory having a multi-dimensional map stored therein of surge conditions correlating to the volume of air entering the turbocharger and the compressor pressure ratio;

the electric motor controller (16, 22) further configured to control the electric motor responsive to the signals from the intake air sensor (27) and from the pressure

Art Unit: 3748

ratio sensor (19) as correlated the multi-dimensional map of surge conditions stored in the memory (See Figure 1, Paragraphs [0022], [0023], [0024], [0025], [0036], [0037]).

Claims 2 and 4 are rejected under 35 U.S.C. 102(e) as being anticipated by Shaffer (Patent Number 6,718,768 B2).

Regarding claim 2, Shaffer discloses a system for preventing/controlling compressor surge in an electrically assisted turbocharger that is coupled to an internal combustion engine comprising:

an electric motor (28, 30) disposed around a turbocharger shaft to provide rotational movement thereto;

an electric motor controller (38) electrically coupled to the electric motor for controlling the operation of the electric motor;

an engine speed sensor (40) electrically coupled to the electric motor controller for sensing the rotational speed of the internal combustion engine;

a turbocharger speed sensing means (turbo speed sensor) coupled to the electric motor controller for sensing the rotational speed of the turbocharger shaft (24); and a memory electrically coupled to the electric motor controller (38);

the memory having a multi-dimensional map stored therein of surge conditions correlating to the speed (via 40) of the internal combustion engine (10) and to the speed of the turbocharger; the electric motor controller (38) further configured to control the electric motor responsive to the signals provided from the engine speed sensor and from the turbocharger speed sensing means as correlated to the multi-dimensional map

Art Unit: 3748

of surge conditions stored in the memory (See Figures 1-3, Column 3, lines 14-67, and Column 4, lines 1-27).

Regarding claim 4, Shaffer discloses a method for preventing/controlling compressor surge in an electrically assisted turbocharger (36) that is coupled to an internal combustion engine (10), the turbocharger (20) including an electric motor (28,30) disposed around a turbocharger shaft (24) to provide rotational movement thereto (See Figures 1-3), the method comprising the steps of:

sensing a first parameter indicative of the rotational speed of the internal combustion engine (40) (See Column 3, lines 13-33);

sensing a second parameter indicative of the rotational speed of the turbocharger shaft (See Column 3, lines 13-33); and

controlling the electric motor (38) responsive to said first and second parameters so as to avoid surge based on a multi-dimensional map correlating compressor surge conditions to the speed of the internal combustion engine and to the speed of the turbocharger (See Column 3, lines 13-33).

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

- Allen et al. (US Patent Number 6,609,375 B2) disclose an air-cooling system for electric assisted turbocharger.

Art Unit: 3748

- Gladden et al. (US Patent Number 6,553,764 B1) disclose enhanced response turbocharger using flywheel storage.

- Bowman et al. (US Patent Number 6,415,606 B1) disclose a method and apparatus for turbocharging an engine of a locomotive.
- Woollenweber et al. (US Patent Number 6,079,211) disclose a two-stage supercharging system for internal combustion engines.
- Halami et al. (US Patent Number 5,560,208) disclose a motor assisted variable geometry turbocharger system.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thai-Ba Trieu whose telephone number is (703) 308-6450. The examiner can normally be reached on Monday - Thursday (6:30-5:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas E. Denion can be reached on (703) 308-2623. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only.

Application/Control Number: 10/743,686 Page 8

Art Unit: 3748

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

TTB August 19, 2004 Thai-Ba Trieu Patent Examiner Art Unit 3748